L	Hits	Search Text	DB	Time stamp
Number 1	727	606/\$.ccls. and (occipit\$9 or vertebrae	USPAT;	2004/03/04
		or spin\$9) and (bushing or washer\$4)	US-PGPUB; EPO; JPO;	12:20
			DERWENT; IBM TDB	
2	208	606/\$.ccls. and (occipit\$9 or vertebrae	USPĀT;	2004/03/04
		or spin\$9) and bushing	US-PGPUB; EPO; JPO;	12:42
			DERWENT;	
3	0	"09778639"	IBM_TDB USPAT;	2004/03/04
1			US-PGPUB; EPO; JPO;	12:42
			DERWENT;	
4	1	"09/778639"	IBM_TDB USPAT;	2004/03/04
1		037770003	US-PGPUB;	12:54
•			EPO; JPO; DERWENT;	
	17	 "5545164"	IBM_TDB USPAT;	2004/03/04
5	1/	3343164	US-PGPUB;	12:54
			EPO; JPO; DERWENT;	
			IBM_TDB	2004/22/22
-	3648	606/53,60,61,65,69,70,71,72,73,104.ccls.	USPAT; US-PGPUB;	2004/03/02 15:57
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	50	606/53,60,61,65,69,70,71,72,73,104.ccls. and bushing and clamp\$9	USPAT; US-PGPUB;	2003/09/25 09:22
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	3	606/\$.ccls. and occipit\$9 and bushing and clamp\$9	USPAT; US-PGPUB;	2003/09/25
		Oldmp43	EPO; JPO;	
			DERWENT; IBM TDB	
_	46	606/\$.ccls. and occipit\$9 and clamp\$9	USPAT; US-PGPUB;	2003/09/25 10:36
			EPO; JPO;	10.50
			DERWENT; IBM TDB	
-	3	09/633057	USPAT;	2003/09/25
			US-PGPUB; EPO; JPO;	09:23
			DERWENT; IBM TDB	
-	0	10/240522	USPAT;	2003/09/25
			US-PGPUB; EPO; JPO;	10:04
			DERWENT; IBM TDB	
-	1	09/560897	USPAT;	2003/09/25
			US-PGPUB; EPO; JPO;	10:04
			DERWENT;	
_	0	606/\$.ccls. and occipit\$9 and (bone adj	IBM_TDB USPAT;	2003/09/25
		plate) with groov\$8 and bend\$9	US-PGPUB; EPO; JPO;	10:43
			DERWENT;	
_	10	606/\$.ccls. and (bone adj plate) with	IBM_TDB USPAT;	2003/09/25
		groov\$8 and bend\$9	US-PGPUB;	10:43
			EPO; JPO; DERWENT;	
			IBM TDB	

Search History 3/4/04 3:27:35 PM Page 1

1				-
_	8	606/\$.ccls. and occipit\$9 and (bone with	USPAT;	2003/09/25
		plate) and groov\$8 and bend\$9	US-PGPUB;	10:41
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	1 11	606/\$.ccls. and occipit\$9 and bone and	USPAT;	2003/09/25
		groov\$8 and bend\$9	US-PGPUB;	10:41
		3200 1,10 ann a sha, 2	EPO; JPO;	
			DERWENT;	[
			IBM TDB	
_	l n	606/\$.ccls. and occipit\$9 and (bone adj	USPAT;	2004/03/03
		plate) and bend\$9	US-PGPUB;	13:25
			EPO; JPO;	
1			DERWENT;	
			IBM TDB	
_	232	606/\$.ccls. and (bone adj plate) and	USPĀT;	2004/03/02
		bend\$9	US-PGPUB;	16:17
İ		·	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	48	606/\$.ccls. and (bone adj plate) with	USPAT;	2003/09/25
		bend\$9	US-PGPUB;	11:11
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1897	606/61,69.ccls.	USPAT;	2003/09/25
			US-PGPUB;	11:11
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1517	606/61.ccls.	USPAT;	2003/09/25
	·		US-PGPUB;	11:11
•			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	510	606/69.ccls.	USPAT;	2003/09/25
			US-PGPUB;	11:11
			EPO; JPO;	
			DERWENT;	
	1 22	606/61 60 -=1- and /greater or shannel or	IBM_TDB USPAT;	2003/09/25
-	22	606/61,69.ccls. and (groove or channel or score or ridge) with bend\$9	US-PGPUB;	11:12
		score or ridge) with behave	EPO; JPO;	11.12
	İ	·	DERWENT;	
			IBM TDB	
	1100	606/53,60,61,65,69,70,71,72,73,104.ccls.	USPAT;	2003/09/25
	1100	and (bone with plate)	US-PGPUB;	12:20
		and (bone with piace)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
1 -	405	606/53,60,61,65,69,70,71,72,73,104.ccls.	USPAT;	2003/09/25
-		and (bone adj plate)	US-PGPUB;	11:21
		,,	EPO; JPO;	
			DERWENT;	
			IBM TDB	
	131	606/\$.ccls. and clamp and pivot and rod	USPAT;	2003/09/25
		and serrat\$9	US-PGPUB;	11:19
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	55	• •	USPĀT;	2003/09/25
		and serrat\$9 and plate	US-PGPUB;	11:19
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	74		USPAT;	2003/09/25
		and rod and plate and pivot and hole	US-PGPUB;	11:22
			EPO; JPO;	
			DERWENT;	
	L		IBM TDB	

•				
_	3	606/53,60,61,65,69,70,71,72,73,104.ccls. and rod with (bent or bend\$9) and	USPAT; US-PGPUB;	2003/09/25 12:21
		(serrat\$9 or teeth) and occipit\$9	EPO; JPO; DERWENT; IBM TDB	
_	73		USPĀT;	2003/09/25
		and rod with (bent or bend\$9) and (serrat\$9 or teeth)	US-PGPUB; EPO; JPO; DERWENT;	12:31
			IBM_TDB	
-	67	606/53,60,61,65,69,70,71,72,73,104.ccls. and rod with curve\$4 and (serrat\$9 or	USPAT; US-PGPUB;	2003/09/25
		teeth)	EPO; JPO; DERWENT;	
	0	606/53,60,61,65,69,70,71,72,73,104.ccls.	IBM_TDB USPAT;	2003/09/25
		and rod with curve\$4 and (serrat\$9 or	US-PGPUB;	12:31
		teeth) and occipit\$9	EPO; JPO; DERWENT;	•
			IBM_TDB	2002/20/05
-	207	606/53,60,61,65,69,70,71,72,73,104.ccls. and rod with ("45" or degrees)	USPAT; US-PGPUB;	2003/09/25 12:43
			EPO; JPO; DERWENT;	
		606/50 60 61 65 60 70 71 70 70 104	IBM_TDB	2002/00/25
-	325	606/53,60,61,65,69,70,71,72,73,104.ccls. and rod with hook	USPAT; US-PGPUB;	2003/09/25 12:43
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	2	606/53,60,61,65,69,70,71,72,73,104.ccls. and rod with hook with serrat\$8	USPAT; US-PGPUB;	2003/09/25
		and four with mook with political	EPO; JPO;	
			DERWENT; IBM TDB	
-	41	606/53,60,61,65,69,70,71,72,73,104.ccls. and rod with serrat\$8	USPĀT; US-PGPUB;	2003/09/25
		and rod with serrates	EPO; JPO;	15.25
			DERWENT; IBM TDB	
-	727	623/17.11,17.16.ccls.	USPĀT;	2003/09/25
			US-PGPUB; EPO; JPO;	13:25
	i		DERWENT; IBM TDB	
-	32	606/\$.ccls. and (bone adj plate) and	USPĀT;	2004/03/02
		bushing	US-PGPUB; EPO; JPO;	16:18
			DERWENT; IBM TDB	
_	468	606/\$.ccls. and plate and bushing	USPAT;	2004/03/02
			US-PGPUB; EPO; JPO;	17:11
			DERWENT;	
_	241	606/\$.ccls. and plate and bushing and	IBM_TDB USPAT;	2004/03/02
		(bend\$4 or malleable or conform\$8)	US-PGPUB; EPO; JPO;	17:14
			DERWENT;	
_	171	606/\$.ccls. and plate and bushing and	IBM_TDB USPAT;	2004/03/02
		(bend\$4 or malleable or conform\$8) and (spine\$4 or spinal or back or vertebr\$4	US-PGPUB; EPO; JPO;	17:15
		or occipit\$9)	DERWENT;	
_	43	606/\$.ccls. and plate and bushing and	IBM_TDB USPAT;	2004/03/02
		(bend\$4 or malleable or conform\$8) and	US-PGPUB; EPO; JPO;	17:18
		(spine\$4 or spinal or vertebr\$4 or occipit\$9)	DERWENT;	
_	7	5380324.URPN.	IBM_TDB USPAT	2004/03/02
	·			17:15

				2004/02/02
_	4	("4611581" "4771767" "4773402"	USPAT	2004/03/02
Į	1	"5057109").PN.		17:16
-	68	606/\$.ccls. and bushing and (bend\$4 or	USPAT;	2004/03/02
'	1	malleable or conform\$8) and (spine\$4 or	US-PGPUB;	17:19
		spinal or vertebr\$4 or occipit\$9)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	25	(606/\$.ccls. and bushing and (bend\$4 or	USPAT;	2004/03/03
		malleable or conform\$8) and (spine\$4 or	US-PGPUB;	13:16
		spinal or vertebr\$4 or occipit\$9)) not	EPO; JPO;	
		(606/\$.ccls. and plate and bushing and	DERWENT;	
		(bend\$4 or malleable or conform\$8) and	IBM TDB	
ļ		(spine\$4 or spinal or vertebr\$4 or	-	İ
		occipit\$9))		
l	17	"5545164"	USPAT;	2004/03/03
	1 * 1	00.0101	US-PGPUB;	13:23
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
İ	5	606/\$.ccls. and occipit\$9 and bushing	USPAT;	2004/03/03
-		0007 V. CCIS.	US-PGPUB;	13:33
			EPO; JPO;	
			DERWENT;	
			IBM TDB	1
	16	606/\$.ccls. and occipit\$9 and washer\$4	USPĀT;	2004/03/03
1 -	10	000/9.ccis. and occipity and "ashery"	US-PGPUB;	13:27
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	208	606/\$.ccls. and (occipit\$9 or vertebrae	USPAT;	2004/03/04
-	208	or spin\$9) and bushing	US-PGPUB;	12:25
		Or Springs, and publiting	EPO; JPO;	
			DERWENT;	
			IBM TDB	
I	1		TDM IDD	